TUNGSRAM[™]

Innovation is our heritage EST. 1896



5 94 kWh/1000h lumens/watt

Candle WarmDim

LED Candle WarmDim 5W 820-827 E27 TU 93117665

Product information

Tungsram's latest LED Decorative range brings the advantages of LED with an astonishingly stylish design even for those who are on a tight budget. Thanks to the warm colour temperatures from 2000K to 2700K, the high efficiency and unique wide beam angle of 320° visually pleasing illumination can be achieved. The frosted glass housing enhances the warm dimming effect and with the four cap options of E14,E27, B15, B22 further contribute to provide charming atmosphere for restaurants, cafés and even for your own home.

Application areas





Product data

Product Code	93117665
Bulb Finish	White
Bulb maximum overall diameter [mm]	35
Nominal Length [mm]	95
Net weight per piece [g]	20
RoHS compliant	Yes
Brand	Tungsram
Cap/Base	E27

Performance data

Nominal/ Rated Beam Angle [°]	320
Weighted energy consumption [kWh/1000h]	5.0
Rated efficacy [lm/W]	94
Energy efficiency class (EEC)	F
Rated life L70/B50 [h]	15000
Nominal lumens [lm]	470
Colour Rendering Index (CRI) [Ra]	80
Warm colour temperatures (CCT) [K]	2000-2700


Electrical data

Nominal lamp power factor	>0.5
Operating Temperature (MIN) [°C]	-20°C
Operating Temperature (MAX) [°C]	+40°C
Starting time (sec)	<0.5 s
Warm up time up to 60% of full light output	Instant on
Number of switching cycles	30000
Dimming Capability	Yes
Nominal lamp voltage range [V]	220-240V
Nominal power [W]	5

Logistic data

Shipment	Standard
DUN Code	15994100069505
EAN Code	5994100069508
Pack Quantity	6
Product status	Available

Light distribution



Downloads & Links

Go to the catalog site (HTTP) Photometry (IES) Datasheet (PDF) Images (HTTP) Dimming compatibility (PDF) Declaration of Conformity (PDF)



Tungsram is a registered trademark of Tungsram Operations Kft.

tungsram.com

We in Tungsram Operations Kft. are constantly developing and improving our products. For this reason, all product descriptions in this catalogue are intended as a general guide, and we may change specifications from time to time in the interest of product development, without prior notification or public announcement. All descriptions in this publication present only general particulars of the goods to which they refer and shall not form part of any contract. Data in this guide has been obtained in controlled experimental conditions. However, Tungsram cannot accept any liability arising from the reliance on such data to the extent permitted by law.